

8.3 Vector, Parametric, and Symmetric Equations of a Line in \mathbb{R}^3


A Vector Equation

The vector equation of the line is:

$$\vec{r} = \vec{r}_0 + t\vec{u}, \quad t \in \mathbb{R}$$

where:

- ⇒ $\vec{r} = \overrightarrow{OP}$ is the position vector of a *generic point* P on the line,
- ⇒ $\vec{r}_0 = \overrightarrow{OP_0}$ is the position vector of a *specific point* P_0 on the line,
- ⇒ \vec{u} is a vector parallel to the line called the *direction vector* of the line, and
- ⇒ t is a *real number* corresponding to the generic point P .




Ex 1. Find two vector equations of the line L that passes through the points $A(1,2,3)$ and $B(2,-1,0)$.

Ex 2. Find the vector equation of a line L_2 that passes through the origin and is parallel to the line $L_1: \vec{r} = (-2,0,3) + t(-1,0,2), \quad t \in \mathbb{R}$.


B Specific Lines

A line is *parallel to the x-axis* if $\vec{u} = (u_x, 0, 0), u_x \neq 0$.

In this case, the line is also *perpendicular to the yz-plane*.



A line with $\vec{u} = (0, u_y, u_z), u_y \neq 0, u_z \neq 0$ is *parallel to the yz-plane*.



Ex 3. Find the vector equation of a line that:

a) passes through $A(3,-2,0)$ and is parallel to the y-axis

b) passes through $M(-1,0,4)$ and is perpendicular to the yz-plane

c) passes through $P(3,0,0)$ and is perpendicular to the x-axis

d) passes through the origin and is parallel to the xz-plane

C Parametric Equations

Let rewrite the vector equation of a line:

$$\vec{r} = \vec{r}_0 + t\vec{u}, \quad t \in \mathbb{R}$$



as:

$$(x, y, z) = (x_0, y_0, z_0) + t(u_x, u_y, u_z), \quad t \in \mathbb{R}$$

The *parametric equations* of a line in \mathbb{R}^3 are:

$$\begin{cases} x = x_0 + tu_x \\ y = y_0 + tu_y \\ z = z_0 + tu_z \end{cases}, \quad t \in \mathbb{R}$$

Ex 4. Find the parametric equations of the line L that passes through the points $A(0,-1,2)$ and $B(1,-1,3)$. Describe the line.

<p>D Symmetric Equations The parametric equations of a line may be written as:</p> $\begin{cases} x - x_0 = tu_x \\ y - y_0 = tu_y \\ z - z_0 = tu_z \end{cases}, \quad t \in \mathbb{R}$ <p>From here, the <i>symmetric equations</i> of the line are:</p> $\frac{x - x_0}{u_x} = \frac{y - y_0}{u_y} = \frac{z - z_0}{u_z}$ $u_x \neq 0, u_y \neq 0, u_z \neq 0$	<p>Ex 5. Convert the vector equation of the line $L: \vec{r} = (0, 1, -3) + t(-1, 2, 0), \quad t \in \mathbb{R}$ to the parametric and symmetric equations.</p>
<p>Ex 6. Convert the symmetric equations for a line: $\frac{x-2}{3} = \frac{y+1}{-2} = \frac{z}{4}$ to the parametric and vector equations.</p>	<p>Ex 7. For each case, find if the given point lies on the given line.</p> <p>a) $L: \vec{r} = (1, 2, -3) + t(0, 1, -2); \quad P(1, 4, -7)$</p> <p>b) $L: \begin{cases} x = -2 + 3t \\ y = -t \\ z = 5 \end{cases}; \quad P(0, 1, 5)$</p> <p>c) $L: \frac{x+1}{-2} = \frac{y-2}{1} = \frac{z}{-3}; \quad P(-3, 3, -3)$</p>
<p>E Intersections A line <i>intersects the x-axis</i> when $y = z = 0$.</p>  <p>A line <i>intersects the xy-plane</i> when $z = 0$.</p> 	<p>Ex 7. Consider the line $L: \vec{r} = (3, -2, 3) + t(-1, 2, -3), \quad t \in \mathbb{R}$. Find the intersection points between this line and the coordinates axes and planes.</p>

Reading: Nelson Textbook, Pages 445-448

Homework: Nelson Textbook: Page 449 #1abc, 5acf, 6, 8, 9, 12, 13, 14